




LED LAMPS

RL-SL6472
RL-SL6494




RL-SL6472




RL-SL6494

Dimension(MM)



RL-SL6472



RL-SL6494



Parameters(MM)

MODEL NO.	RL-SL-6472			RL-SL-6494	
POWER	5W	5W	7W	15W	22W
LUMENS	375	375	525	350	400
COL.TEMP	3000K/4000k/6500k			3000K/4000k/6500k	
DIM.OP	NO	YES	NO	NO	YES
HOUSING	ALUMINIUM /PLASTIC			ALUMINIUM	
DIFFUSER	OPAL ACRYLIC			CLEAR FOCAL LENS	
COLOUR	WHITE			WHITE	
CHIP	SMD2835			COB	
BASE	GU10			GU10	
CRI	>80			>80	
PF	0.5			0.5	
VOLTAGE	220 - 240V AC			220 - 240V AC	
IP RATING	IP20			IP20	
LIFE	25000 hours			25000 hours	
WARRANTY	2 YEARS			2 YEARS	

RL-LB2212
RL-LB2214
RL-LB2216
RL-LB2219



RL-LB2212



RL-LB2214



RL-LB2212/
RL-LB2214-AMBER



RL-LB2219



RL-LB2216



RL-LB2214-2
RED



RL-LB2214-2
BLUE



RL-LB2214-2
GREEN



RL-LB2214-4 AMB SEN
RL-LB2214-4 CLR SEN

Parameters(MM)


MODEL NO.	RL-LB2212		RL-LB2214			RL-LB2216			RL-LB2219		
POWER	4W		4W		1.8W	4.2W		6W	8W	6W	9W 12W 15W
LUMENS	360		360		90 200 40	400		600	800	450 675 900	960
COL.TEMP	2700K - 6500K		2700K - 6500K		RED GREEN BLUE	2700K		2700K-6500K		2700K-6500K	
DIM.OP	NO	YES	NO	YES	NO		NO	YES	NO	YES	NO
HOUSING	ALUMINIUM /GLASS		ALUMINIUM/ GLASS			ALUMINIUM/ GLASS		ALUMINIUM/ GLASS		ALUMINIUM/ PBT	
DIFFUSER	CLEAR GLASS		CLEAR GLASS		AMBER GLASS	CLEAR GLASS		CLEAR GLASS		OPAL ACRYLIC	
COLOUR	CHROME		CHROME			CHROME		CHROME		WHITE/CHROME	
CHIP	FILAMENT		FILAMENT			FILAMENT		FILAMENT		SMD2835	
BASE	E14		E14		E27		E27	E27		E27	
CRI	>80		>80		>70 >707 >70	>80		>80		80	
PF	0.5		0.5		0.4		0.5	0.4		0.6	
VOLTAGE	110-265V AC	220-240V AC	110-265V AC	220-240V AC	110-265V AC	220-240V AC		220-240V AC		220-240V AC	
IP RATING	IP20		IP20			IP20		IP20		IP20	
LIFE	25000 hours		25000 hours			25000 hours		25000 hours		25000 hours	
WARRANTY	2 YEARS		2 YEARS			2 YEARS		2 YEARS		2 YEARS	

RL-LB2220



RL-LB2220

Dimension(MM)




RL-LB2220

RL-TB2612



RL-TB2612

Dimension(MM)



RL-TB2612



Parameters(MM)

MODEL NO.	RL-LB2220-7W
POWER	7W
LUMENS	560
COL.TEMP	3000K-6500k
DIM.OP	0-10V/1-10V/DALI
HOUSING	ALUMINIUM + CERAMIC + PC + GLASS
DIFFUSER	CLEAR GLASS
COLOUR	WHITE/CHROME
CHIP	SMD2835
BASE	G9
CRI	80
PF	0.5
VOLTAGE	220 - 240V AC
IP RATING	IP20
LIFE	25000 hours
WARRANTY	2 YEARS



Parameters(MM)

MODEL NO.	RL-TB2612-10W 2FT	RL-TB2612-18W 4FT	RL-TB2612-18W 5FT
POWER	10W	18W	22W
LUMENS	800	1450	2000
COL.TEMP	3000K-6500k		
DIM.OP	0-10V/1-10V/DALI		
HOUSING	PC + GLASS		
DIFFUSER	OPAL GLASS		
COLOUR	WHITE		
CHIP	SMD2835		
BASE	G13		
CRI	>70		
PF	0.5		
VOLTAGE	220 - 240V AC		
IP RATING	IP20		
LIFE	25000 hours		
WARRANTY	2 YEARS		

