


LED MIRROR LIGHT





RL-MLSS40-6W
RL-MLSS60-9W
LED Mirror Light

Minimalist mirror headlights, LED light source, high brightness and anti-glare, waterproof and fog-proof, and anti-electric leakage.



DIMMING



80Lm/W



3/5 YEARS



220 - 240V



IP44



Dustproof



Mosquito-proof



-30°C~+45°C



Flicker-free



50,000H




Easy Installation



CCT switchable

Size



Parameters

Model No.	RL-MLSS40-6W	RL-MLSS60-9W
Power	6W	9W
Lumens	80LM/W	
COL. TEMP	3000K/4000K/6500K/CCT	
Length	40cm	60cm
Dimmable	NO	
Housing	Die Cast Aluminium	
Diffuser	Frosted Opal	
Colour	Stainless Steel	
Lamp	LED	
Base	SMD	
CRI	80	
PF	0.5	
Driver	Integrated	
Voltage	220 - 240V	
IP Rating	IP44	
Life	50000 hours	
Warranty	3/5 Years	
DIM. OP	0-10V/1-10V/DALI	

RL-MLSW70
LED Mirror Light

Fashionable and minimalist mirror light, Featuring an aluminum body and exquisite baking paint craftsmanship,Rust and corrosion resistance, LED light source, uniform and flawless illumination, Waterproof and anti fog design, available in two lengths.



DIMMING



80LM/W



3/5 YEARS



220 - 240V



IP44



Dustproof



Mosquito-proof



-30°C~+45°C



Flicker-free



50,000H




Easy Installation



CCT switchable

Size




Parameters

Model No.	RL-MLSW70-6W	RL-MLSW70-8W	RL-MLSW70-12W
Power	6W	8W	12W/15W
Lumens	80LM/W		
COL. TEMP	3000K/4000K/6500K/CCT		
Length	44cm	55cm	71cm
Dimmable	NO		
Housing	Die Cast Aluminium		
Diffuser	Frosted Opal		
Colour	Brushed Chrome		
Lamp	LED		
Base	SMD		
CRI	80		
PF	0.5		
Driver	Integrated		
Voltage	220 - 240V		
IP Rating	IP44		
Life	50000 hours		
Warranty	3/5 Years		
DIM. OP	0-10V/1-10V/DALI		




RL-ML30-5W
LED Mirror Light

Minimalist mirror headlights, LED light source, high brightness and anti-glare, waterproof and fog-proof, and anti-electric leakage.



Size



Parameters


Model No.	RL-ML30-5W
Power	5W
Lumens	80LM/W
COL. TEMP	3000K/4000K/6500K/CCT
Length(cm)	30
Dimmable	NO
Housing	Die Cast Aluminium
Diffuser	Frosted Opal
Colour	Brushed Chrome
Lamp	LED
Base	SMD
CRI	80
PF	0.5
Driver	Integrated
Voltage	220 - 240V
IP Rating	IP44
Life	50000 hours
Warranty	3/5 Years
DIM. OP	0-10V/1-10V/DALI

RL-ML50-8W
LED Mirror Light

Minimalist mirror headlights, LED light source, high brightness and anti-glare, waterproof and fog-proof, and anti-electric leakage.



Size



Parameters

Model No.	RL-ML50-8W
Power	8W
Lumens	80LM/W
COL. TEMP	3000K/4000K/6500K/CCT
Length(cm)	50cm
Dimmable	NO
Housing	Die Cast Aluminium
Diffuser	Frosted Opal
Colour	Brushed Chrome
Lamp	LED
Base	SMD
CRI	80
PF	0.5
Driver	Integrated
Voltage	220 - 240V
IP Rating	IP44
Life	50000 hours
Warranty	3/5 Years
DIM. OP	0-10V/1-10V/DALI

RL-ML40-7W
RL-ML60-12W

LED Mirror Light

Fashionable and minimalist mirror light, featuring an aluminum body, exquisite baking finish, rust and corrosion resistance, LED light source, uniform and spotless lighting, waterproof and fog-resistant design, and three length options.



DIMMING



80LM/W



3/5 YEARS



220 - 240V



IP44



Dustproof



Mosquito-proof



-30°C~+45°C



Flicker-free



50,000H




Easy Installation



CCT switchable

Size



Parameters

Model No.	RL-ML40-7W	RL-ML60-12W
Power	7W	12W
Lumens	80LM/W	
COL. TEMP	3000K/4000K/6500K/CCT	
Length(cm)	40cm	60cm
Dimmable	NO	
Housing	Die Cast Aluminium	
Diffuser	Frosted Opal	
Colour	Brushed Chrome	
Lamp	LED	
Base	SMD	
CRI	80	
PF	0.5	
Driver	Integrated	
Voltage	220 - 240V	
IP Rating	IP44	
Life	50000 hours	
Warranty	3/5 Years	
DIM. OP	0-10V/1-10V/DALI	

RL-ML3003
LED Mirror Light

Fashionable and minimalist mirror headlights, Stainless steel lamp body, Rust and corrosion resistance, LED light source, uniform and flawless illumination, Waterproof and anti fog design, available in three lengths.



0-10V/1-10V/DALI



80Lm/W



Warranty



220 - 240V



IP44



Dustproof



Mosquito-proof



-30°C~+45°C



Flicker-free



50,000H




Easy Installation



CCT switchable

Size



Parameters

Model No.	RL-ML3003-10W	RL-ML3003-15W	RL-ML3003-20W
Power	10W	15W	20W
Lumens	80LM/W		
COL. TEMP	3000K/4000K/6500K/CCT		
Length(cm)	46cm	60cm	90cm
Dimmable	NO		
Housing	Stainless Steel		
Diffuser	Opal PC		
Colour	Stainless Steel		
Lamp	LED		
Base	SMD		
CRI	80		
PF	0.5		
Driver	Integrated		
Voltage	220 - 240V		
IP Rating	IP44		
Life	50000 hours		
Warranty	3/5 Years		
DIM. OP	0-10V/1-10V/DALI		

RL-ML3005
LED Mirror Light

Energy saving LED waterproof fog mirror headlights, simple design, no drilling, easy installation, multiple sizes, and multiple colors to choose from.


0-10V/1-10V/
DALI


80Lm/W


Warranty


220 - 240V


IP44


Dustproof


Mosquito-
proof


-30°C~+45°C



Flicker-free


50,000H


Easy
Installation


CCT
switchable

Size



Parameters

Model No.	RL-ML3005					
Power	8W	10W	12W	15W	20W	25W
Lumens	80LM/W					
COL. TEMP	3000K/4000K/6500K/CCT					
Size(MM)	40cm	60cm	80cm	100cm	120cm	150cm
Dimmable	NO					
Housing	Stainless Steel					
Diffuser	Opal PC					
Colour	Chrome/Gold/White/Black					
Lamp	LED					
Base	SMD					
CRI	80					
PF	0.5					
Driver	Integrated					
Voltage	220-240V					
IP Rating	IP44					
Life	50000 hours					
Warranty	3/5 Years					
DIM. OP	0-10V/1-10V/DALI					

RL-ML3006
LED Mirror Light

Fashionable and minimalist mirror headlights, Stainless steel lamp body,Rust and corrosion resistance, LED light source, uniform and flawless illumination, Waterproof and anti fog design, available in three lengths.


0-10V/1-10V/
DALI


80Lm/W


Warranty


220 - 240V


IP44


Dustproof


Mosquito-
proof


-30°C~+45°C



Flicker-free


50,000H


Easy
Installation


CCT
switchable

Size



Parameters

Model No.	RL-ML3006			
Power	8W	10W	15W	20W
Lumens	80LM/W			
COL. TEMP	3000K/4000K/6500K/CCT			
Length(cm)	40cm	60cm	80cm	100cm
Dimmable	NO			
Housing	Stainless Steel			
Diffuser	Opal PC			
Colour	Chrome/Gold/White/Black			
Lamp	LED			
Base	SMD			
CRI	80			
PF	0.5			
Driver	Integrated			
Voltage	220-240V			
IP Rating	IP44			
Life	50000 hours			
Warranty	3/5 Years			
DIM. OP	0-10V/1-10V/DALI			



RL-WSVL-SERIES

Minimally designed dustproof wall lamp, using sealed glass cover, LED three color light source, no flicker hazard, high brightness and energy-saving, hardware lamp body, suitable for different places.



Size




Parameters


Model No.	RL-WSVL-SERIES
Power	E26
COL. TEMP	3000K/4000K/6500K
Size(MM)	W15H34D11.5CM
Dimmable	NO
Housing	Stainless Steel
Diffuser	Glass
Colour	Chrome/Gold/White/Black
IP Rating	IP44
Warranty	3/5 Years
DIM. OP	0-10V/1-10V/DALI

RL-MLVL-SERIES

Outdoor plastic powder electrostatic spray paint process, sanding treatment, strong texture of lamp body, simple style, waterproof and anti-aging. Three specifications and multiple colors to choose from.



Size



Parameters

Model No.	RL-MLVL-SERIES		
Power	8W	10W	15W
Lumens	80LM/W		
COL. TEMP	3000K/4000K/6500K/CCT		
Size(MM)	W80H380MM	W80H520MM	W80H620MM
Dimmable	NO		
Housing	Aluminium		
Diffuser	PC		
Colour	Chrome/Gold/White/Black		
Lamp	LED		
Base	SMD		
CRI	80		
PF	0.5		
Driver	Integrated		
Voltage	220 - 240V		
IP Rating	IP44		
Life	50000 hours		
Warranty	3/5 Years		
DIM. OP	0-10V/1-10V/DALI		